

DATASHEET

ATLANTA

Atlanta 10-14-18W LED White 450mm Corridor Function MW
 830-835-840






GENERAL INFORMATION	
Product Code	NAT/10-18/W/CFMW/CCT
Product Range	N/A
Product Category	N/A
IP Rating	44
IK Rating	08
Warranty	7
DIMENSION/WEIGHT	
Dimensions Circular (DIA x H) (mm)	DIA=450, H=78
Dimensions Square/Rectangular (L x W x H) (mm)	L=N/A, W=N/A, H=N/A
Cut-out Size (mm)	N/A
Product Weight (Kg)	1,7
CONSTRUCTION	
Body Material	PC
Body Colour	White
Optical Material	N/A
Optical Finish	N/A
Termination	4x2x2.5mm sq. Push In Terminal
Driver - Intergal or Remote	Integral
PACKAGING	
Carton Dimensions (mm)	N/A
Quantity per Outer Carton	N/A
Total Weight incl. Carton (Kg)	0,3

LUMINAIRE PERFORMANCE	
Energy Rating	D
Luminaire Lumens (lm)	1320 / 1849 / 2378
Power Consumption (W)	8 / 14 / 18
LED Lumens (lm/W)	N/A
Efficacy (l.lm/c.W)	132 / 132 / 132
Operating Temp. (Min/Max)	-20° 25°
LIGHT SOURCE	
Type	LED
Correlated Colour Temp.	3000 - 3500 - 4000
Colour Rendering Index (CRI)	>80
Lumen Depreciation	L80 100000
SDCM	<3
ELECTRICAL INPUT	
VOLTAGE (V)	220-240V AC
Operating Frequency	50/60Hz
In Rush	<25A
Drivers per MCB*	N/A
Class	Class 1
Power Factor	N/A
Cable Entry	N/A
ELECTRICAL OUTPUT	
Forward Current (mA)	N/A
Forward Voltage (Vf)	N/A
EMERGENCY DATA	
Mode of Operation	N/A
Battery Duration	N/A
Battery Type	N/A
Battery Specification	N/A
Ballast Lumen Factor (BLF)	N/A
DIMMING	
DALI	N/A
OTHER	N/A
Switch Dim	N/A
Corridor Function	Yes
SENSORS	
Microwave	Yes
PIR	N/A
STANDARDS/APPROVALS	
CE Marked	N/A
Certificate of Conformity	N/A
Accreditations	N/A
BARCODE	
EAN NUMBER	5056673216434
E NUMBER	7029040

* GUIDE ONLY

9-14-18=70
16-20-24 = 78



9-14-18 = 300
16-20-24 = 450